

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 11047 (1984): Postal Green Cash Bags [TXD 20: Made-up Textiles]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



IS : 11047 - 1984

Indian Standard
SPECIFICATION FOR
POSTAL GREEN CASH BAGS

UDC 621.798.151 : 677.21.064 : 656.851



© Copyright 1984

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

**AMENDMENT NO. 1 JANUARY 1996
TO
IS 11047 : 1984 SPECIFICATION FOR POSTAL GREEN
CASH BAGS**

**(Page 5, Fig. 1) — Substitute 'INDIA POST' for 'INDIAN POST
OFFICE'.**

(TXD 20)

Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR POSTAL GREEN CASH BAGS

Made-up Textile Items Sectional Committee, TDC 44

<i>Chairman</i>	<i>Representing</i>
SHRI K. S. GANESHBABU	Ministry of Defence (ADGOF), Kanpur
<i>Members</i>	
SHRI A. T. BASAK	Directorate General of Supplies & Disposals, New Delhi
SHRI B. B. CHOWDHRY (<i>Alternate</i>)	
SHRI NIRANJANLAL DALMIA	Niranjanlal Dalmia, Bombay
SHRI S. G. GOKUL	Polyvynile Products Company, Bangalore
SHRI S. M. JAIN	Mansukh & Co (Overseas), Delhi
SHRI H. R. BHANSALI (<i>Alternate</i>)	
JOINT DIRECTOR OF STANDARDS (TM), RDSO	Research, Designs & Standards Organization, Lucknow
DEPUTY DIRECTOR OF STANDARDS (TRACK MODERNIZATION), RDSO (<i>Alternate</i>)	
SHRI G. L. MOONDRA	Jaya Shree Textiles & Industries, Rishra (Distt Hooghly)
SHRI K. GOPINATH (<i>Alternate</i>)	
LT-COL B. PARGHI	Ministry of Defence (DGI)
MAJ R. M. SINGH (<i>Alternate</i>)	
SHRI MOHAN LAL SARAF	Prahladrai Dalmia, Kanpur
SHRI M. S. SAXENA	Ministry of Defence (ADGOF), Kanpur
SHRI A. S. POPLI (<i>Alternate</i>)	
SHRI A. SUBRAMANIAM	Madura Coats Ltd, Madurai
SHRI A. CHELLARAJ (<i>Alternate</i>)	
CAPT S. C. VERMA	Ministry of Defence (Army Headquarters)
SHRI S. M. CHAKRABORTY, Director (Tex)	Director General, ISI (<i>Ex-officio Member</i>)

Secretary

SHRI S. BANERJI
Senior Deputy Director (Tex), ISI

(Continued on page 2)

© Copyright 1984

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

Bags and Covers Subcommittee, TDC 44 : 2

<i>Convener</i>	<i>Representing</i>
MAJ R. M. SINGH	Ministry of Defence (DGI)
<i>Members</i>	
SHRI R. K. GARG (Alternate to Maj R. M. Singh)	
SHRI I. S. AHLUWALIA	Ministry of Defence (DGOFF)
SHRI S. N. DE (Alternate)	
SHRI P. K. BASU	Directorate General of Supplies & Disposals, New Delhi
SHRI A. K. CHAKRAVARTY	Ministry of Railways, New Delhi
SHRI L. A. CHELLANI (Alternate)	
SHRI S. G. GOKUL	Polyvynide Products Company (Jalahalli), Bangalore
SHRI F. M. JAIN	Usha Textiles, Bombay
SHRI R. N. KOLEY	Directorate General of Posts & Telegraphs, New Delhi
SHRI P. N. VASUDEV (Alternate)	
SHRI B. B. MAHINDRA	Ministry of Defence (DGOFF), Kanpur
SHRI R. N. TRIPATHI (Alternate)	
REPRESENTATIVE	Mansukh & Company, Delhi
SHRI C. L. SUREKHA	Indian Proofing & General Industries, Kanpur
CAPT S. C. VERMA	Ministry of Defence [Army Headquarters (OS-P. III)]

Indian Standard

SPECIFICATION FOR POSTAL GREEN CASH BAGS

0. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 15 March 1984, after the draft finalized by the Made-up Textile Items Sectional Committee had been approved by the Textile Division Council.

0.2 Various types of postal bags are being used by Posts and Telegraphs Department. The basic cloth and constructional details of the bags varies depending on the end use. In order to cover various types of bags the Sectional Committee took the decision to make separate specification for each type in order to make it more illustrative and comprehensive. This standard supersedes IS : 5595-1970.

0.3 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS : 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard prescribes constructional details and other particulars of postal cash bags.

2. MANUFACTURE

2.1 The bags shall be manufactured from dosuti, 240 g/m², conforming to Sl No. IV of IS : 179-1977† except for colour fastness which shall be according to 3.4 of this standard. The colour of the cloth shall be green.

2.2 The bags shall be made from single piece of cloth.

*Rules for rounding off numerical values (*revised*).

†Specification for cotton dosuti (*second revision*).

2.3 Seam — The sides of the bag shall be machine stitched using two rows of stitches. The first turning in of the cloth should be about 5 mm and the second turning in of the cloth should be about 5 mm. The stitches shall be of even tension throughout with all the loose ends securely fastened. The number of stitches per decimetre shall be 28, *Min.* The seam should be on the inner side of the bag to prevent fraying.

2.4 Tabs — Tabs for fixing cast aluminium loops to the bags shall be of the same basic material as of the bags. The tabs shall be secured with double layer of cloth and neatly stitched on to the bags at the mouth. They shall be of dimensions commensurate with the size of the bags (*see* Fig. 1).

2.5 Thread — The sewing thread used for stitching (*see* 2.3 and 2.4) shall conform to 36s/6 (165 dtex \times 6) of IS : 1720-1978*. The colour and dye fastness of sewing thread should be same as that of the basic material.

2.6 Loops — The cast aluminium loop, shall not be finer than 4.5 mm in diameter. The approximate dimensions of the loops are shown in Fig. 1. Two loops shall be provided on each bag (*see also* Table 1).

TABLE 1 PARTICULARS OF POSTAL GREEN CASH BAGS

(*Clauses 2.6, 2.8 and 3.2*)

Sl. No.	DESCRIPTION OF BAG	SIZE OF BAG	SIZE (HEIGHT \times THICKNESS) OF LETTERS FOR MARKING ON BAG	COLOUR OF INK TO BE USED FOR MARKING	NO. OF LOOPS PER BAG
(1)	(2)	(3)	(4)	(5)	(6)
		cm cm	cm cm		
i)	Cash I	45 \times 35	2.5 \times 0.6	Black	2
ii)	Cash II	25 \times 15	2.5 \times 0.6		


2.7 Mouth Reinforcing — The mouth of the bag shall be reinforced by providing a cotton line of 7 mm diameter securely stitched to it. The line shall be spliced to a length of 5 cm and whipped properly before being stitched with the body of the bag.

*Specification for cotton sewing threads (*second revision*).

2.8 Freedom from Defects — The bags should be free from sewing and other fabrication and basic fabric defects.

3. REQUIREMENTS

3.1 The general make-up of the bag shall be as shown in Fig. 1.



All dimensions in millimetres.

FIG. 1 POSTAL CASH BAG

3.2 The size, designation and other related details of the bags shall be as given in Table 1. A tolerance of $\pm 1 \text{ cm}$ is allowed on size of bag.

IS : 11047 - 1984

3.3 If in order to illustrate or specify the indeterminable characteristics, such as workmanship, general appearance, lustre, feel and shade of the bag, a sample has been agreed upon and sealed, the supply shall be in conformity with the sample in such respects.

3.3.1 The custody of the sealed sample shall be a matter of prior agreement between the buyer and the seller.

3.4 Colour Fastness — The basic cloth shall be fast to light, washing and rubbing. The fastness ratings shall be as given below when tested by the methods given against each:

<i>Fastness to</i>	<i>Rating</i>	<i>Method</i>
a) Light	4 or better	IS : 2454-1967* or IS : 686-1957†
b) Washing : Test 3 (change in colour)	4 or better	IS : 764-1979‡
c) Rubbing	4 or better	IS : 766-1956§

4. PACKING AND MARKING

4.1 The bags shall be packed as specified in the contract or order.

4.2 Marking on the Bag — The marking on the bags shall be as required by the Postal Department (*see* Table 1). It shall be done neatly using indelible ink (*see* IS : 394-1963||) on both sides of the bag. A typical positioning and size of the letters is shown in Fig. 1. Each bag shall also be marked, on the inner side, using indelible ink (*see* IS : 394-1963||), with the manufacturer's name or trade-mark, size, together with the year of manufacture.

4.2.1 Each bag may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions, under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

* Method for determination of colour fastness of textile materials to artificial light (xenon lamp).

† Method for determination of colour fastness of textile materials to daylight.

‡ Method for determination of colour fastness of textile materials to washing: Test 3 (*second revision*).

§ Method for determination of colour fastness of textile materials to rubbing.

|| Specification for ink, cloth marking (*revised*).

5. SAMPLING

5.1 Lot — The quantity of postal bags of same designation and colour delivered to a buyer against a despatch note shall constitute a lot.

5.2 The conformity of the lot shall be determined on the basis of the tests carried out on the sample selected from it.

5.3 Unless otherwise agreed to between the buyer and the seller, the number of bags to be selected at random from a lot shall be according to col 1 and 2 of Table 2.

TABLE 2 SAMPLE SIZE AND PERMISSIBLE NUMBER OF NON-CONFORMING BAGS

LOT SIZE	SAMPLE SIZE	PERMISSIBLE NO. OF NON-CONFORMING BAGS
(1)	(2)	(3)
Up to 100	13	1
101 to 150	20	2
151 to 300	32	3
301 to 500	50	5
501 to 1 000	80	7
1 001 to 3 000	125	10
3 001 and above	200	14

5.4 The number of bags selected according to 5.3 shall be examined for seam, tabs, aluminium loops, reinforcement of the mouth, marking, freedom from defects, and the dimensions.

5.4.1 The number of bags to be examined for colour fastness shall be three for lot size less than 1 000 and five otherwise.

5.5 Criteria for Conformity — The lot shall be declared as conforming to the requirements of this specification if the following conditions are satisfied:

- a) The number of bags found not in conformity with the requirements for anyone or more of the characteristics mentioned in 5.4 is less than or equal to the corresponding number given in col 3 of Table 2.
- b) All the test specimens tested for colour fastness are found satisfactory.

INDIAN STANDARDS

ON

MADE-UP TEXTILE ITEMS

IS :

5595-1970 Postal bags

7609-1975 General requirements for tents

8857-1978 Canvas water bucket

8927 (Part I)-1978 Hawersacks : Part I For railway personnel

8929-1978 Chagul

9886-1981 Mosquito nets

10321 (Parts I to III)-1982 50 kg tents

Part I General

Part II Outer fly

Part III Inner fly



INDIAN STANDARDS INSTITUTION

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones: 26 60 21, 27 01 31

Telegrams: Manaksanstha
(Common to all Offices)

Regional Offices:

Telephone

*Western : Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093 6 32 92 95
†Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, 36 24 99
CALCUTTA 700054
Southern : C. I. T. Campus, MADRAS 600113 41 24 42
Northern : B69 Phase VII, Industrial Focal Point, 8 73 28
S. A. S. NAGAR 160051 (Punjab)

Branch Offices:

•Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001 { 2 63 48
2 63 49
•F' Block, Unity Bldg, Narasimharaja Square, BANGALORE 560002 22 48 05
Gangotri Complex, Bhadbhade Road, T. T. Nagar, BHOPAL 462003 6 27 16
22E Kalpana Area, BHUBANESHWAR 751014 5 36 27
B-8-56C L. N. Gupta Marg, HYDERABAD 500001 22 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005 6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005 4 72 92
Patliputra Industrial Estate, PATNA 800013 6 23 05
Hantex Bldg (2nd Floor), Rly Station Road, TRIVANDRUM 695001 32 27

Inspection Office (With Sale Point)

Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 411006 5 24 36

*Sales Office in Bombay is at Novelty Chambers, Grant Road, 89 65 28
Bombay 400007
†Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. 27 68 00
Prinsep Street, Calcutta 700072

Printed at Printograph, New Delhi, India